

ProdID	Description	I.D.	O.D.	X-Section
AS-001V	Viton O-Ring (75 DUROMETER)	1/32	3/32	1/16 (0.070)
AS-002V	Viton O-Ring (75 DUROMETER)	3/64	9/64	1/16 (0.070)
AS-003V	Viton O-Ring (75 DUROMETER)	1/16	3/16	1/16 (0.070)
AS-004V	Viton O-Ring (75 DUROMETER)	5/64	13/64	1/16 (0.070)
AS-005V	Viton O-Ring (75 DUROMETER)	7/64	15/64	1/16 (0.070)
AS-006V	Viton O-Ring (75 DUROMETER)	1/8	1/4	1/16 (0.070)
AS-007V	Viton O-Ring (75 DUROMETER)	5/32	9/32	1/16 (0.070)
AS-008V	Viton O-Ring (75 DUROMETER)	3/16	5/16	1/16 (0.070)
AS-009V	Viton O-Ring (75 DUROMETER)	7/32	11/32	1/16 (0.070)
AS-010V	Viton O-Ring (75 DUROMETER)	1/4	3/8	1/16 (0.070)
AS-011V	Viton O-Ring (75 DUROMETER)	5/16	7/16	1/16 (0.070)
AS-012V	Viton O-Ring (75 DUROMETER)	3/8	1/2	1/16 (0.070)
AS-013V	Viton O-Ring (75 DUROMETER)	7/16	9/16	1/16 (0.070)
AS-014V	Viton O-Ring (75 DUROMETER)	1/2	5/8	1/16 (0.070)
AS-015V	Viton O-Ring (75 DUROMETER)	9/16	11/16	1/16 (0.070)
AS-016V	Viton O-Ring (75 DUROMETER)	5/8	3/4	1/16 (0.070)
AS-017V	Viton O-Ring (75 DUROMETER)	11/16	13/16	1/16 (0.070)
AS-018V	Viton O-Ring (75 DUROMETER)	3/4	7/8	1/16 (0.070)
AS-019V	Viton O-Ring (75 DUROMETER)	13/16	15/16	1/16 (0.070)
AS-020V	Viton O-Ring (75 DUROMETER)	7/8	1	1/16 (0.070)
AS-021V	Viton O-Ring (75 DUROMETER)	15/16	1-1/16	1/16 (0.070)
AS-022V	Viton O-Ring (75 DUROMETER)	1	1-1/8	1/16 (0.070)

AS-023V	Viton O-Ring (75 DUROMETER)	1-1/16	1-3/16	1/16 (0.070)
AS-024V	Viton O-Ring (75 DUROMETER)	1-1/8	1-1/4	1/16 (0.070)
AS-025V	Viton O-Ring (75 DUROMETER)	1-3/16	1-5/16	1/16 (0.070)
AS-026V	Viton O-Ring (75 DUROMETER)	1-1/4	1-3/8	1/16 (0.070)
AS-027V	Viton O-Ring (75 DUROMETER)	1-5/16	1-7/16	1/16 (0.070)
AS-028V	Viton O-Ring (75 DUROMETER)	1-3/8	1-1/2	1/16 (0.070)
AS-029V	Viton O-Ring (75 DUROMETER)	1-1/2	1-5/8	1/16 (0.070)
AS-030V	Viton O-Ring (75 DUROMETER)	1-5/8	1-3/4	1/16 (0.070)
AS-031V	Viton O-Ring (75 DUROMETER)	1-3/4	1-7/8	1/16 (0.070)
AS-032V	Viton O-Ring (75 DUROMETER)	1-7/8	2	1/16 (0.070)
AS-033V	Viton O-Ring (75 DUROMETER)	2	2-1/8	1/16 (0.070)
AS-034V	Viton O-Ring (75 DUROMETER)	2-1/8	2-1/4	1/16 (0.070)
AS-035V	Viton O-Ring (75 DUROMETER)	2-1/4	2-3/8	1/16 (0.070)
AS-036V	Viton O-Ring (75 DUROMETER)	2-3/8	2-1/2	1/16 (0.070)
AS-037V	Viton O-Ring (75 DUROMETER)	2-1/2	2-5/8	1/16 (0.070)
AS-038V	Viton O-Ring (75 DUROMETER)	2-5/8	2-3/4	1/16 (0.070)
AS-039V	Viton O-Ring (75 DUROMETER)	2-3/4	2-7/8	1/16 (0.070)
AS-040V	Viton O-Ring (75 DUROMETER)	2-7/8	3	1/16 (0.070)
AS-041V	Viton O-Ring (75 DUROMETER)	3	3-1/8	1/16 (0.070)
AS-042V	Viton O-Ring (75 DUROMETER)	3-1/4	3-3/8	1/16 (0.070)
AS-043V	Viton O-Ring (75 DUROMETER)	3-1/2	3-5/8	1/16 (0.070)
AS-044V	Viton O-Ring (75 DUROMETER)	3-3/4	3-7/8	1/16 (0.070)
AS-045V	Viton O-Ring (75 DUROMETER)	4	4-1/8	1/16 (0.070)
AS-046V	Viton O-Ring (75 DUROMETER)	4-1/4	4-3/8	1/16 (0.070)
AS-047V	Viton O-Ring (75 DUROMETER)	4-1/2	4-5/8	1/16 (0.070)
AS-048V	Viton O-Ring (75 DUROMETER)	4-3/4	4-7/8	1/16

				(0.070)
AS-049V	Viton O-Ring (75 DUROMETER)	5	5-1/8	1/16 (0.070)
AS-050V	Viton O-Ring (75 DUROMETER)	5-1/4	5-3/8	1/16 (0.070)
AS-102V	Viton O-Ring (75 DUROMETER)	1/16	1/4	3/32 (0.103)
AS-103V	Viton O-Ring (75 DUROMETER)	3/32	9/32	3/32 (0.103)
AS-104V	Viton O-Ring (75 DUROMETER)	1/8	5/16	3/32 (0.103)
AS-105V	Viton O-Ring (75 DUROMETER)	5/32	11/32	3/32 (0.103)
AS-106V	Viton O-Ring (75 DUROMETER)	3/16	3/8	3/32 (0.103)
AS-107V	Viton O-Ring (75 DUROMETER)	7/32	13/32	3/32 (0.103)
AS-108V	Viton O-Ring (75 DUROMETER)	1/4	7/16	3/32 (0.103)
AS-109V	Viton O-Ring (75 DUROMETER)	5/16	1/2	3/32 (0.103)
AS-110V	Viton O-Ring (75 DUROMETER)	3/8	9/16	3/32 (0.103)
AS-111V	Viton O-Ring (75 DUROMETER)	7/16	5/8	3/32 (0.103)
AS-112V	Viton O-Ring (75 DUROMETER)	1/2	11/16	3/32 (0.103)
AS-113V	Viton O-Ring (75 DUROMETER)	9/16	3/4	3/32 (0.103)
AS-114V	Viton O-Ring (75 DUROMETER)	5/8	13/16	3/32 (0.103)
AS-115V	Viton O-Ring (75 DUROMETER)	11/16	7/8	3/32 (0.103)
AS-116V	Viton O-Ring (75 DUROMETER)	3/4	15/16	3/32 (0.103)
AS-117V	Viton O-Ring (75 DUROMETER)	13/16	1	3/32 (0.103)
AS-118V	Viton O-Ring (75 DUROMETER)	7/8	1-1/16	3/32 (0.103)
AS-119V	Viton O-Ring (75 DUROMETER)	15/16	1-1/8	3/32 (0.103)
AS-120V	Viton O-Ring (75 DUROMETER)	1	1-3/16	3/32 (0.103)
AS-121V	Viton O-Ring (75 DUROMETER)	1-1/16	1-1/4	3/32 (0.103)
AS-122V	Viton O-Ring (75 DUROMETER)	1-1/8	1-5/16	3/32 (0.103)
AS-123V	Viton O-Ring (75 DUROMETER)	1-3/16	1-3/8	3/32 (0.103)
AS-124V	Viton O-Ring (75 DUROMETER)	1-1/4	1-7/16	3/32 (0.103)

AS-125V	Viton O-Ring (75 DUROMETER)	1-5/16	1-1/2	3/32 (0.103)
AS-126V	Viton O-Ring (75 DUROMETER)	1-3/8	1-9/16	3/32 (0.103)
AS-127V	Viton O-Ring (75 DUROMETER)	1-7/16	1-5/8	3/32 (0.103)
AS-128V	Viton O-Ring (75 DUROMETER)	1-1/2	1-11/16	3/32 (0.103)
AS-129V	Viton O-Ring (75 DUROMETER)	1-9/16	1-3/4	3/32 (0.103)
AS-130V	Viton O-Ring (75 DUROMETER)	1-5/8	1-13/16	3/32 (0.103)
AS-131V	Viton O-Ring (75 DUROMETER)	1-11/16	1-7/8	3/32 (0.103)
AS-132V	Viton O-Ring (75 DUROMETER)	1-3/4	1-15/16	3/32 (0.103)
AS-133V	Viton O-Ring (75 DUROMETER)	1-13/16	2	3/32 (0.103)
AS-134V	Viton O-Ring (75 DUROMETER)	1-7/8	2-1/16	3/32 (0.103)
AS-135V	Viton O-Ring (75 DUROMETER)	1-15/16	2-1/8	3/32 (0.103)
AS-136V	Viton O-Ring (75 DUROMETER)	2	2-1/8	3/32 (0.103)
AS-137V	Viton O-Ring (75 DUROMETER)	2-1/16	2-1/4	3/32 (0.103)
AS-138V	Viton O-Ring (75 DUROMETER)	2-1/8	2-5/16	3/32 (0.103)
AS-139V	Viton O-Ring (75 DUROMETER)	2-3/16	2-3/8	3/32 (0.103)
AS-140V	Viton O-Ring (75 DUROMETER)	2-1/4	2-7/16	3/32 (0.103)
AS-141V	Viton O-Ring (75 DUROMETER)	2-5/16	2-1/2	3/32 (0.103)
AS-142V	Viton O-Ring (75 DUROMETER)	2-3/8	2-9/16	3/32 (0.103)
AS-143V	Viton O-Ring (75 DUROMETER)	2-7/16	2-5/8	3/32 (0.103)
AS-144V	Viton O-Ring (75 DUROMETER)	2-1/2	2-11/16	3/32 (0.103)
AS-145V	Viton O-Ring (75 DUROMETER)	2-9/16	2-3/4	3/32 (0.103)
AS-146V	Viton O-Ring (75 DUROMETER)	2-5/8	2-13/16	3/32 (0.103)
AS-147V	Viton O-Ring (75 DUROMETER)	2-11/16	2-7/8	3/32 (0.103)
AS-148V	Viton O-Ring (75 DUROMETER)	2-3/4	2-15/16	3/32 (0.103)
AS-149V	Viton O-Ring (75 DUROMETER)	2-13/16	3	3/32 (0.103)
AS-150V	Viton O-Ring (75 DUROMETER)	2-7/8	3-1/16	3/32

				(0.103)
AS-151V	Viton O-Ring (75 DUROMETER)	3	3-3/16	3/32 (0.103)
AS-152V	Viton O-Ring (75 DUROMETER)	3-1/4	3-7/16	3/32 (0.103)
AS-153V	Viton O-Ring (75 DUROMETER)	3-1/2	3-11/16	3/32 (0.103)
AS-154V	Viton O-Ring (75 DUROMETER)	3-3/4	3-15/16	3/32 (0.103)
AS-155V	Viton O-Ring (75 DUROMETER)	4	4-3/16	3/32 (0.103)
AS-156V	Viton O-Ring (75 DUROMETER)	4-1/4	4-7/16	3/32 (0.103)
AS-157V	Viton O-Ring (75 DUROMETER)	4-1/2	4-11/16	3/32 (0.103)
AS-158V	Viton O-Ring (75 DUROMETER)	4-3/4	4-15/16	3/32 (0.103)
AS-159V	Viton O-Ring (75 DUROMETER)	5	5-3/16	3/32 (0.103)
AS-160V	Viton O-Ring (75 DUROMETER)	5-1/4	5-7/16	3/32 (0.103)
AS-161V	Viton O-Ring (75 DUROMETER)	5-1/2	5-11/16	3/32 (0.103)
AS-162V	Viton O-Ring (75 DUROMETER)	5-3/4	5-15/16	3/32 (0.103)
AS-163V	Viton O-Ring (75 DUROMETER)	6	6-3/16	3/32 (0.103)
AS-164V	Viton O-Ring (75 DUROMETER)	6-1/4	6-7/16	3/32 (0.103)
AS-165V	Viton O-Ring (75 DUROMETER)	6-1/2	6-11/16	3/32 (0.103)
AS-166V	Viton O-Ring (75 DUROMETER)	6-3/4	6-15/16	3/32 (0.103)
AS-167V	Viton O-Ring (75 DUROMETER)	7	7-3/16	3/32 (0.103)
AS-168V	Viton O-Ring (75 DUROMETER)	7-1/4	7-7/16	3/32 (0.103)
AS-169V	Viton O-Ring (75 DUROMETER)	7-1/2	7-11/16	3/32 (0.103)
AS-170V	Viton O-Ring (75 DUROMETER)	7-3/4	7-15/16	3/32 (0.103)
AS-171V	Viton O-Ring (75 DUROMETER)	8	8-3/16	3/32 (0.103)
AS-172V	Viton O-Ring (75 DUROMETER)	8-1/4	8-7/16	3/32 (0.103)
AS-173V	Viton O-Ring (75 DUROMETER)	8-1/2	8-11/16	3/32 (0.103)
AS-174V	Viton O-Ring (75 DUROMETER)	8-3/4	8-15/16	3/32 (0.103)
AS-175V	Viton O-Ring (75 DUROMETER)	9	9-3/16	3/32 (0.103)

AS-176V	Viton O-Ring (75 DUROMETER)	9-1/4	9-7/16	3/32 (0.103)
AS-177V	Viton O-Ring (75 DUROMETER)	9-1/2	9-11/16	3/32 (0.103)
AS-178V	Viton O-Ring (75 DUROMETER)	9-3/4	9-15/16	3/32 (0.103)
AS-201V	Viton O-Ring (75 DUROMETER)	3/16	7/16	1/8 (0.139)
AS-202V	Viton O-Ring (75 DUROMETER)	1/4	1/2	1/8 (0.139)
AS-203V	Viton O-Ring (75 DUROMETER)	5/16	9/16	1/8 (0.139)
AS-204V	Viton O-Ring (75 DUROMETER)	3/8	5/8	1/8 (0.139)
AS-205V	Viton O-Ring (75 DUROMETER)	7/16	11/16	1/8 (0.139)
AS-206V	Viton O-Ring (75 DUROMETER)	1/2	3/4	1/8 (0.139)
AS-207V	Viton O-Ring (75 DUROMETER)	9/16	13/16	1/8 (0.139)
AS-208V	Viton O-Ring (75 DUROMETER)	5/8	7/8	1/8 (0.139)
AS-209V	Viton O-Ring (75 DUROMETER)	11/16	15/16	1/8 (0.139)
AS-210V	Viton O-Ring (75 DUROMETER)	3/4	1	1/8 (0.139)
AS-211V	Viton O-Ring (75 DUROMETER)	13/16	1-1/16	1/8 (0.139)
AS-212V	Viton O-Ring (75 DUROMETER)	7/8	1-1/8	1/8 (0.139)
AS-213V	Viton O-Ring (75 DUROMETER)	15/16	1-3/16	1/8 (0.139)
AS-214V	Viton O-Ring (75 DUROMETER)	1	1-1/4	1/8 (0.139)
AS-215V	Viton O-Ring (75 DUROMETER)	1-1/16	1-5/16	1/8 (0.139)
AS-216V	Viton O-Ring (75 DUROMETER)	1-1/8	1-3/8	1/8 (0.139)
AS-217V	Viton O-Ring (75 DUROMETER)	1-3/16	1-7/16	1/8 (0.139)
AS-218V	Viton O-Ring (75 DUROMETER)	1-1/4	1-1/2	1/8 (0.139)
AS-219V	Viton O-Ring (75 DUROMETER)	1-5/16	1-9/16	1/8 (0.139)
AS-220V	Viton O-Ring (75 DUROMETER)	1-3/8	1-5/8	1/8 (0.139)
AS-221V	Viton O-Ring (75 DUROMETER)	1-7/16	1-11/16	1/8 (0.139)
AS-222V	Viton O-Ring (75 DUROMETER)	1-1/2	1-3/4	1/8 (0.139)
AS-223V	Viton O-Ring (75 DUROMETER)	1-5/8	1-7/8	1/8 (0.139)
AS-224V	Viton O-Ring (75 DUROMETER)	1-3/4	2	1/8 (0.139)
AS-225V	Viton O-Ring (75 DUROMETER)	1-7/8	2-1/8	1/8 (0.139)
AS-226V	Viton O-Ring (75 DUROMETER)	2	2-1/4	1/8 (0.139)
AS-227V	Viton O-Ring (75 DUROMETER)	2-1/8	2-3/8	1/8 (0.139)
AS-228V	Viton O-Ring (75 DUROMETER)	2-1/4	2-1/2	1/8 (0.139)
AS-229V	Viton O-Ring (75 DUROMETER)	2-3/8	2-5/8	1/8 (0.139)

AS-230V	Viton O-Ring (75 DUROMETER)	2-1/2	2-3/4	1/8 (0.139)
AS-231V	Viton O-Ring (75 DUROMETER)	2-5/8	2-7/8	1/8 (0.139)
AS-232V	Viton O-Ring (75 DUROMETER)	2-3/4	3	1/8 (0.139)
AS-233V	Viton O-Ring (75 DUROMETER)	2-7/8	3-1/8	1/8 (0.139)
AS-234V	Viton O-Ring (75 DUROMETER)	3	3-1/4	1/8 (0.139)
AS-235V	Viton O-Ring (75 DUROMETER)	3-1/8	3-3/8	1/8 (0.139)
AS-236V	Viton O-Ring (75 DUROMETER)	3-1/4	3-1/2	1/8 (0.139)
AS-237V	Viton O-Ring (75 DUROMETER)	3-3/8	3-5/8	1/8 (0.139)
AS-238V	Viton O-Ring (75 DUROMETER)	3-1/2	3-3/4	1/8 (0.139)
AS-239V	Viton O-Ring (75 DUROMETER)	3-5/8	3-7/8	1/8 (0.139)
AS-240V	Viton O-Ring (75 DUROMETER)	3-3/4	4	1/8 (0.139)
AS-241V	Viton O-Ring (75 DUROMETER)	3-7/8	4-1/8	1/8 (0.139)
AS-242V	Viton O-Ring (75 DUROMETER)	4	4-1/4	1/8 (0.139)
AS-243V	Viton O-Ring (75 DUROMETER)	4-1/8	4-3/8	1/8 (0.139)
AS-244V	Viton O-Ring (75 DUROMETER)	4-1/4	4-1/2	1/8 (0.139)
AS-245V	Viton O-Ring (75 DUROMETER)	4-3/8	4-5/8	1/8 (0.139)
AS-246V	Viton O-Ring (75 DUROMETER)	4-1/2	4-3/4	1/8 (0.139)
AS-247V	Viton O-Ring (75 DUROMETER)	4-5/8	4-7/8	1/8 (0.139)
AS-248V	Viton O-Ring (75 DUROMETER)	4-3/4	5	1/8 (0.139)
AS-249V	Viton O-Ring (75 DUROMETER)	4-7/8	5-1/8	1/8 (0.139)
AS-250V	Viton O-Ring (75 DUROMETER)	5	5-1/4	1/8 (0.139)
AS-251V	Viton O-Ring (75 DUROMETER)	5-1/8	5-3/8	1/8 (0.139)
AS-252V	Viton O-Ring (75 DUROMETER)	5-1/4	5-1/2	1/8 (0.139)
AS-253V	Viton O-Ring (75 DUROMETER)	5-3/8	5-5/8	1/8 (0.139)
AS-254V	Viton O-Ring (75 DUROMETER)	5-1/2	5-3/4	1/8 (0.139)
AS-255V	Viton O-Ring (75 DUROMETER)	5-5/8	5-7/8	1/8 (0.139)
AS-256V	Viton O-Ring (75 DUROMETER)	5-3/4	6	1/8 (0.139)
AS-257V	Viton O-Ring (75 DUROMETER)	5-7/8	6-1/8	1/8 (0.139)
AS-258V	Viton O-Ring (75 DUROMETER)	6	6-1/4	1/8 (0.139)
AS-259V	Viton O-Ring (75 DUROMETER)	6-1/4	6-1/2	1/8 (0.139)
AS-260V	Viton O-Ring (75 DUROMETER)	6-1/2	6-3/4	1/8 (0.139)
AS-261V	Viton O-Ring (75 DUROMETER)	6-3/4	7	1/8 (0.139)
AS-262V	Viton O-Ring (75 DUROMETER)	7	7-1/4	1/8 (0.139)

AS-263V	Viton O-Ring (75 DUROMETER)	7-1/4	7-1/2	1/8 (0.139)
AS-264V	Viton O-Ring (75 DUROMETER)	7-1/2	7-3/4	1/8 (0.139)
AS-265V	Viton O-Ring (75 DUROMETER)	7-3/4	8	1/8 (0.139)
AS-266V	Viton O-Ring (75 DUROMETER)	8	8-1/4	1/8 (0.139)
AS-267V	Viton O-Ring (75 DUROMETER)	8-1/4	8-1/2	1/8 (0.139)
AS-268V	Viton O-Ring (75 DUROMETER)	8-1/2	8-3/4	1/8 (0.139)
AS-269V	Viton O-Ring (75 DUROMETER)	8-3/4	9	1/8 (0.139)
AS-270V	Viton O-Ring (75 DUROMETER)	9	9-1/4	1/8 (0.139)
AS-271V	Viton O-Ring (75 DUROMETER)	9-1/4	9-1/2	1/8 (0.139)
AS-272V	Viton O-Ring (75 DUROMETER)	9-1/2	9-3/4	1/8 (0.139)
AS-273V	Viton O-Ring (75 DUROMETER)	9-3/4	10	1/8 (0.139)
AS-274V	Viton O-Ring (75 DUROMETER)	10	10-1/4	1/8 (0.139)
AS-275V	Viton O-Ring (75 DUROMETER)	10-1/2	10-3/4	1/8 (0.139)
AS-276V	Viton O-Ring (75 DUROMETER)	11	11-1/4	1/8 (0.139)
AS-277V	Viton O-Ring (75 DUROMETER)	11-1/2	11-3/4	1/8 (0.139)
AS-278V	Viton O-Ring (75 DUROMETER)	12	12-1/4	1/8 (0.139)
AS-279V	Viton O-Ring (75 DUROMETER)	13	13-1/4	1/8 (0.139)
AS-280V	Viton O-Ring (75 DUROMETER)	14	14-1/4	1/8 (0.139)
AS-281V	Viton O-Ring (75 DUROMETER)	15	15-1/4	1/8 (0.139)
AS-282V	Viton O-Ring (75 DUROMETER)	16	16-1/4	1/8 (0.139)
AS-283V	Viton O-Ring (75 DUROMETER)	17	17-1/4	1/8 (0.139)
AS-284V	Viton O-Ring (75 DUROMETER)	18	18-1/4	1/8 (0.139)
AS-309V	Viton O-Ring (75 DUROMETER)	7/16	13-16	3/16 (0.210)
AS-310V	Viton O-Ring (75 DUROMETER)	1/2	7/8	3/16 (0.210)
AS-311V	Viton O-Ring (75 DUROMETER)	9/16	15/16	3/16 (0.210)
AS-312V	Viton O-Ring (75 DUROMETER)	5/8	1	3/16 (0.210)
AS-313V	Viton O-Ring (75 DUROMETER)	11/16	1-1/16	3/16 (0.210)
AS-314V	Viton O-Ring (75 DUROMETER)	3/4	1-1/8	3/16 (0.210)
AS-315V	Viton O-Ring (75 DUROMETER)	13/16	1-3/16	3/16 (0.210)
AS-316V	Viton O-Ring (75 DUROMETER)	7/8	1-1/4	3/16 (0.210)
AS-317V	Viton O-Ring (75 DUROMETER)	15/16	1-5/16	3/16 (0.210)

AS-318V	Viton O-Ring (75 DUROMETER)	1	1-3/8	3/16 (0.210)
AS-319V	Viton O-Ring (75 DUROMETER)	1-1/16	1-7/16	3/16 (0.210)
AS-320V	Viton O-Ring (75 DUROMETER)	1-1/8	1-1/2	3/16 (0.210)
AS-321V	Viton O-Ring (75 DUROMETER)	1-3/16	1-9/16	3/16 (0.210)
AS-322V	Viton O-Ring (75 DUROMETER)	1-1/4	1-5/8	3/16 (0.210)
AS-323V	Viton O-Ring (75 DUROMETER)	1-5/16	1-11/16	3/16 (0.210)
AS-324V	Viton O-Ring (75 DUROMETER)	1-3/8	1-3/4	3/16 (0.210)
AS-325V	Viton O-Ring (75 DUROMETER)	1-1/2	1-7/8	3/16 (0.210)
AS-326V	Viton O-Ring (75 DUROMETER)	1-5/8	2	3/16 (0.210)
AS-327V	Viton O-Ring (75 DUROMETER)	1-3/4	2-1/8	3/16 (0.210)
AS-328V	Viton O-Ring (75 DUROMETER)	1-7/8	2-1/4	3/16 (0.210)
AS-329V	Viton O-Ring (75 DUROMETER)	2	2-3/8	3/16 (0.210)
AS-330V	Viton O-Ring (75 DUROMETER)	2-1/8	2-1/2	3/16 (0.210)
AS-331V	Viton O-Ring (75 DUROMETER)	2-1/4	2-5/8	3/16 (0.210)
AS-332V	Viton O-Ring (75 DUROMETER)	2-3/8	2-3/4	3/16 (0.210)
AS-333V	Viton O-Ring (75 DUROMETER)	2-1/2	2-7/8	3/16 (0.210)
AS-334V	Viton O-Ring (75 DUROMETER)	2-5/8	3	3/16 (0.210)
AS-335V	Viton O-Ring (75 DUROMETER)	2-3/4	3-1/8	3/16 (0.210)
AS-336V	Viton O-Ring (75 DUROMETER)	2-7/8	3-1/4	3/16 (0.210)
AS-337V	Viton O-Ring (75 DUROMETER)	3	3-3/8	3/16 (0.210)
AS-338V	Viton O-Ring (75 DUROMETER)	3-1/8	3-1/2	3/16 (0.210)
AS-339V	Viton O-Ring (75 DUROMETER)	3-1/4	3-5/8	3/16 (0.210)
AS-340V	Viton O-Ring (75 DUROMETER)	3-3/8	3-3/4	3/16 (0.210)
AS-341V	Viton O-Ring (75 DUROMETER)	3-1/2	3-7/8	3/16 (0.210)
AS-342V	Viton O-Ring (75 DUROMETER)	3-5/8	4	3/16 (0.210)
AS-343V	Viton O-Ring (75 DUROMETER)	3-3/4	4-1/8	3/16

				(0.210)
AS-344V	Viton O-Ring (75 DUROMETER)	3-7/8	4-1/4	3/16 (0.210)
AS-345V	Viton O-Ring (75 DUROMETER)	4	4-3/8	3/16 (0.210)
AS-346V	Viton O-Ring (75 DUROMETER)	4-1/8	4-1/2	3/16 (0.210)
AS-347V	Viton O-Ring (75 DUROMETER)	4-1/4	4-5/8	3/16 (0.210)
AS-348V	Viton O-Ring (75 DUROMETER)	4-3/8	4-3/4	3/16 (0.210)
AS-349V	Viton O-Ring (75 DUROMETER)	4-1/2	4-7/8	3/16 (0.210)
AS-350V	Viton O-Ring (75 DUROMETER)	4-5/8	5	3/16 (0.210)
AS-351V	Viton O-Ring (75 DUROMETER)	4-3/4	5-1/8	3/16 (0.210)
AS-352V	Viton O-Ring (75 DUROMETER)	4-7/8	5-1/4	3/16 (0.210)
AS-353V	Viton O-Ring (75 DUROMETER)	5	5-3/8	3/16 (0.210)
AS-354V	Viton O-Ring (75 DUROMETER)	5-1/8	5-1/2	3/16 (0.210)
AS-355V	Viton O-Ring (75 DUROMETER)	5-1/4	5-5/8	3/16 (0.210)
AS-356V	Viton O-Ring (75 DUROMETER)	5-3/8	5-3/4	3/16 (0.210)
AS-357V	Viton O-Ring (75 DUROMETER)	5-1/2	5-7/8	3/16 (0.210)
AS-358V	Viton O-Ring (75 DUROMETER)	5-5/8	6	3/16 (0.210)
AS-359V	Viton O-Ring (75 DUROMETER)	5-3/4	6-1/8	3/16 (0.210)
AS-360V	Viton O-Ring (75 DUROMETER)	5-7/8	6-1/4	3/16 (0.210)
AS-361V	Viton O-Ring (75 DUROMETER)	6	6-3/8	3/16 (0.210)
AS-362V	Viton O-Ring (75 DUROMETER)	6-1/4	6-5/8	3/16 (0.210)
AS-363V	Viton O-Ring (75 DUROMETER)	6-1/2	6-7/8	3/16 (0.210)
AS-364V	Viton O-Ring (75 DUROMETER)	6-3/4	7-1/8	3/16 (0.210)
AS-365V	Viton O-Ring (75 DUROMETER)	7	7-3/8	3/16 (0.210)
AS-366V	Viton O-Ring (75 DUROMETER)	7-1/4	7-5/8	3/16 (0.210)
AS-367V	Viton O-Ring (75 DUROMETER)	7-1/2	7-7/8	3/16 (0.210)
AS-368V	Viton O-Ring (75 DUROMETER)	7-3/4	8-1/8	3/16 (0.210)

AS-369V	Viton O-Ring (75 DUROMETER)	8	8-3/8	3/16 (0.210)
AS-370V	Viton O-Ring (75 DUROMETER)	8-1/4	8-5/8	3/16 (0.210)
AS-371V	Viton O-Ring (75 DUROMETER)	8-1/2	8-7/8	3/16 (0.210)
AS-372V	Viton O-Ring (75 DUROMETER)	8-3/4	9-1/8	3/16 (0.210)
AS-373V	Viton O-Ring (75 DUROMETER)	9	9-3/8	3/16 (0.210)
AS-374V	Viton O-Ring (75 DUROMETER)	9-1/4	9-5/8	3/16 (0.210)
AS-375V	Viton O-Ring (75 DUROMETER)	9-1/2	9-7/8	3/16 (0.210)
AS-376V	Viton O-Ring (75 DUROMETER)	9-3/4	10-1/8	3/16 (0.210)
AS-377V	Viton O-Ring (75 DUROMETER)	10	10-3/8	3/16 (0.210)
AS-378V	Viton O-Ring (75 DUROMETER)	10-1/2	10-7/8	3/16 (0.210)
AS-379V	Viton O-Ring (75 DUROMETER)	11	11-3/8	3/16 (0.210)
AS-380V	Viton O-Ring (75 DUROMETER)	11-1/2	11-7/8	3/16 (0.210)
AS-381V	Viton O-Ring (75 DUROMETER)	12	12-3/8	3/16 (0.210)
AS-382V	Viton O-Ring (75 DUROMETER)	13	13-3/8	3/16 (0.210)
AS-383V	Viton O-Ring (75 DUROMETER)	14	14-3/8	3/16 (0.210)
AS-384V	Viton O-Ring (75 DUROMETER)	15	15-3/8	3/16 (0.210)
AS-385V	Viton O-Ring (75 DUROMETER)	16	16-3/8	3/16 (0.210)
AS-386V	Viton O-Ring (75 DUROMETER)	17	17-3/8	3/16 (0.210)
AS-387V	Viton O-Ring (75 DUROMETER)	18	18-3/8	3/16 (0.210)
AS-388V	Viton O-Ring (75 DUROMETER)	19	19-3/8	3/16 (0.210)
AS-389V	Viton O-Ring (75 DUROMETER)	20	20-3/8	3/16 (0.210)
AS-390V	Viton O-Ring (75 DUROMETER)	21	21-3/8	3/16 (0.210)
AS-391V	Viton O-Ring (75 DUROMETER)	22	22-3/8	3/16 (0.210)
AS-392V	Viton O-Ring (75 DUROMETER)	23	23-3/8	3/16 (0.210)
AS-393V	Viton O-Ring (75 DUROMETER)	24	24-3/8	3/16 (0.210)
AS-394V	Viton O-Ring (75 DUROMETER)	25	25-3/8	3/16

				(0.210)
AS-395V	Viton O-Ring (75 DUROMETER)	26	26-3/8	3/16 (0.210)
AS-415V	Viton O-Ring (75 DUROMETER)	3-1/4	3-3/4	1/4 (0.275)
AS-419V	Viton O-Ring (75 DUROMETER)	3-3/4	4-1/4	1/4 (0.275)
AS-425V	Viton O-Ring (75 DUROMETER)	4-1/2	5	1/4 (0.275)
AS-426V	Viton O-Ring (75 DUROMETER)	4-5/8	5-1/8	1/4 (0.275)
AS-427V	Viton O-Ring (75 DUROMETER)	4-3/4	5-1/4	1/4 (0.275)
AS-428V	Viton O-Ring (75 DUROMETER)	4-7/8	5-3/8	1/4 (0.275)
AS-429V	Viton O-Ring (75 DUROMETER)	5	5-1/2	1/4 (0.275)
AS-430V	Viton O-Ring (75 DUROMETER)	5-1/8	5-5/8	1/4 (0.275)
AS-431V	Viton O-Ring (75 DUROMETER)	5-1/4	5-3/4	1/4 (0.275)
AS-432V	Viton O-Ring (75 DUROMETER)	5-3/8	5-7/8	1/4 (0.275)
AS-433V	Viton O-Ring (75 DUROMETER)	5-1/2	6	1/4 (0.275)
AS-434V	Viton O-Ring (75 DUROMETER)	5-5/8	6-1/8	1/4 (0.275)
AS-435V	Viton O-Ring (75 DUROMETER)	5-3/4	6-1/4	1/4 (0.275)
AS-436V	Viton O-Ring (75 DUROMETER)	5-7/8	6-3/8	1/4 (0.275)
AS-437V	Viton O-Ring (75 DUROMETER)	6	6-1/2	1/4 (0.275)
AS-438V	Viton O-Ring (75 DUROMETER)	6-1/4	6-3/4	1/4 (0.275)
AS-439V	Viton O-Ring (75 DUROMETER)	6-1/2	7	1/4 (0.275)
AS-440V	Viton O-Ring (75 DUROMETER)	6-3/4	7-1/4	1/4 (0.275)
AS-441V	Viton O-Ring (75 DUROMETER)	7	7-1/2	1/4 (0.275)
AS-442V	Viton O-Ring (75 DUROMETER)	7-1/4	7-3/4	1/4 (0.275)
AS-443V	Viton O-Ring (75 DUROMETER)	7-1/2	8	1/4 (0.275)
AS-444V	Viton O-Ring (75 DUROMETER)	7-3/4	8-1/4	1/4 (0.275)
AS-445V	Viton O-Ring (75 DUROMETER)	8	8-1/2	1/4 (0.275)
AS-446V	Viton O-Ring (75 DUROMETER)	8-1/2	9	1/4 (0.275)
AS-447V	Viton O-Ring (75 DUROMETER)	9	9-1/2	1/4 (0.275)
AS-448V	Viton O-Ring (75 DUROMETER)	9-1/2	10	1/4 (0.275)
AS-449V	Viton O-Ring (75 DUROMETER)	10	10-1/2	1/4 (0.275)
AS-450V	Viton O-Ring (75 DUROMETER)	10-1/2	11	1/4 (0.275)
AS-451V	Viton O-Ring (75 DUROMETER)	11	11-1/2	1/4 (0.275)
AS-452V	Viton O-Ring (75 DUROMETER)	11-1/2	12	1/4 (0.275)
AS-453V	Viton O-Ring (75 DUROMETER)	12	12-1/2	1/4 (0.275)

AS-454V	Viton O-Ring (75 DUROMETER)	12-1/2	13	1/4 (0.275)
AS-455V	Viton O-Ring (75 DUROMETER)	13	13-1/2	1/4 (0.275)
AS-456V	Viton O-Ring (75 DUROMETER)	13-1/2	14	1/4 (0.275)
AS-457V	Viton O-Ring (75 DUROMETER)	14	14-1/2	1/4 (0.275)
AS-458V	Viton O-Ring (75 DUROMETER)	14-1/2	15	1/4 (0.275)
AS-459V	Viton O-Ring (75 DUROMETER)	15	15-1/2	1/4 (0.275)
AS-460V	Viton O-Ring (75 DUROMETER)	15-1/2	16	1/4 (0.275)
AS-461V	Viton O-Ring (75 DUROMETER)	16	16-1/2	1/4 (0.275)
AS-462V	Viton O-Ring (75 DUROMETER)	16-1/2	17	1/4 (0.275)
AS-463V	Viton O-Ring (75 DUROMETER)	17	17-1/2	1/4 (0.275)
AS-464V	Viton O-Ring (75 DUROMETER)	17-1/2	18	1/4 (0.275)
AS-465V	Viton O-Ring (75 DUROMETER)	18	18-1/2	1/4 (0.275)
AS-466V	Viton O-Ring (75 DUROMETER)	18-1/2	19	1/4 (0.275)
AS-467V	Viton O-Ring (75 DUROMETER)	19	19-1/2	1/4 (0.275)
AS-468V	Viton O-Ring (75 DUROMETER)	19-1/2	20	1/4 (0.275)
AS-469V	Viton O-Ring (75 DUROMETER)	20	20-1/2	1/4 (0.275)
AS-470V	Viton O-Ring (75 DUROMETER)	21	21-1/2	1/4 (0.275)
AS-471V	Viton O-Ring (75 DUROMETER)	22	22-1/2	1/4 (0.275)
AS-472V	Viton O-Ring (75 DUROMETER)	23	23-1/2	1/4 (0.275)
AS-473V	Viton O-Ring (75 DUROMETER)	24	24-1/2	1/4 (0.275)
AS-474V	Viton O-Ring (75 DUROMETER)	25	25-1/2	1/4 (0.275)
AS-475V	Viton O-Ring (75 DUROMETER)	26	26-1/2	1/4 (0.275)
AS-901V	Viton O-Ring (75 DUROMETER)	.185	3/32 Tube	.056
AS-902V	Viton O-Ring (75 DUROMETER)	.239	1/8 Tube	.064
AS-903V	Viton O-Ring (75 DUROMETER)	.301	3/16 Tube	.064
AS-904V	Viton O-Ring (75 DUROMETER)	.351	1/4 Tube	.072
AS-905V	Viton O-Ring (75 DUROMETER)	.414	5/16 Tube	.072
AS-906V	Viton O-Ring (75 DUROMETER)	.468	3/8 Tube	.078
AS-907V	Viton O-Ring (75 DUROMETER)	.530	7/16 Tube	.082
AS-908V	Viton O-Ring (75 DUROMETER)	.644	1/2 Tube	.087
AS-909V	Viton O-Ring (75 DUROMETER)	.706	9/16 Tube	.097
AS-910V	Viton O-Ring (75 DUROMETER)	.755	5/8 Tube	.097
AS-911V	Viton O-Ring (75 DUROMETER)	.863	11/16 Tube	.116

AS-912V	Viton O-Ring (75 DUROMETER)	.924	3/4 Tube	.116
AS-913V	Viton O-Ring (75 DUROMETER)	.986	13/16 Tube	.116
AS-914V	Viton O-Ring (75 DUROMETER)	1.047	7/8 Tube	.116
AS-916V	Viton O-Ring (75 DUROMETER)	1.171	1 Tube	.116
AS-918V	Viton O-Ring (75 DUROMETER)	1.355	1-1/8 Tube	.116
AS-920V	Viton O-Ring (75 DUROMETER)	1.475	1-1/4 Tube	.118
AS-924V	Viton O-Ring (75 DUROMETER)	1.720	1-1/2 Tube	.118
AS-928V	Viton O-Ring (75 DUROMETER)	2.090	1-3/4 Tube	.118
AS-932V	Viton O-Ring (75 DUROMETER)	2.337	2 Tube	.118
